

Module Customer Side

by *Gerrit Muller* Embedded Systems Institute

e-mail: `gerrit.muller@embeddedsystems.nl`

`www.gaudisite.nl`

Abstract

This module addresses The Customer Objectives and Application Views:

Distribution

This article or presentation is written as part of the Gaudí project. The Gaudí project philosophy is to improve by obtaining frequent feedback. Frequent feedback is pursued by an open creation process. This document is published as intermediate or nearly mature version to get feedback. Further distribution is allowed as long as the document remains complete and unchanged.

February 11, 2012

status: draft

version: 0

logo
TBD

The customer objectives view

by *Gerrit Muller* Embedded Systems Institute
e-mail: `gerrit.muller@embeddedsystems.nl`
`www.gaudisite.nl`


Abstract

The purpose of the customer objectives view is described. A number of methods or models is given to use in this view: customer key drivers to understand the essentials, value chains and business models to understand the position of the customer and a supplier map to understand the supply side of the customer.


Distribution

This article or presentation is written as part of the Gaudí project. The Gaudí project philosophy is to improve by obtaining frequent feedback. Frequent feedback is pursued by an open creation process. This document is published as intermediate or nearly mature version to get feedback. Further distribution is allowed as long as the document remains complete and unchanged.

February 11, 2012
status: preliminary
draft
version: 0.3




Customer objectives overview




key drivers

Key drivers	Derived application drivers
Safety	<ul style="list-style-type: none"> Reduce Accident rates Enforce law Improve Emergency Response
Effective Flow	<ul style="list-style-type: none"> Early hazard detection with warning and signalling Maintain safe road condition Classify and track dangerous goods vehicles Detect and warn non compliant vehicles Enforce speed compliance Enforce red light compliance Enforce weight compliance
Smooth Operation	<ul style="list-style-type: none"> Reduce delay due to accident Improve average speed Improve total network throughput Optimise road surface Speed up target groups Anticipate on future traffic condition
Environment	<ul style="list-style-type: none"> Ensure Traceability Ensure proper alarm handling Ensure system health and fault indication Reduce emissions


supplier map



value chain and business models



Example motorway management key drivers




Submethod to Link Key Drivers to Requirements

- | | |
|--|--|
| • Define the scope specific. | in terms of stakeholder or market segments |
| • Acquire and analyze facts | extract facts from the product specification
and ask why questions about the specification of existing products . |
| • Build a graph of relations between drivers and requirements
by means of brainstorming and discussions | where requirements
may have multiple drivers |
| • Obtain feedback | discuss with customers , observe their reactions |
| • Iterate many times | increased understanding often triggers the move of issues
from driver to requirement or vice versa and rephrasing |

Key Driver Recommendations

- Limit the number of key-drivers minimal 3, maximal 6
- Don't leave out the obvious key-drivers for instance the well-known main function of the product
- Use short names, recognized by the customer.
- Use market-/customer- specific names, no generic names for instance replace “ ease of use ” by “minimal number of actions for experienced users ”, or “efficiency ” by “integral cost per patient ”
- Do not worry about the exact boundary between Customer Objective and Application create clear goal means relations

Example value chain





Example of simple supplier map

competitors or complementers?

Suppliers of appliances, services and content are colour coded.

The customer does business with many suppliers, and has to integrate the products of many suppliers



The application view

by *Gerrit Muller* Embedded Systems Institute
e-mail: `gerrit.muller@embeddedsystems.nl`
`www.gaudisite.nl`


Abstract

The purpose of the application view is described. A number of methods or models is given to use in this view: stakeholder and concerns, context diagram, static entity relationship models and dynamic flow models.


Distribution

This article or presentation is written as part of the Gaudí project. The Gaudí project philosophy is to improve by obtaining frequent feedback. Frequent feedback is pursued by an open creation process. This document is published as intermediate or nearly mature version to get feedback. Further distribution is allowed as long as the document remains complete and unchanged.


February 11, 2012
status: preliminary
draft
version: 0.1




Application view overview




stakeholders and concerns





context diagrams




entity relationship models



dynamic models




Stakeholders and concerns motorway management system



Context of motorway management system




Example of simple TV application model




Examples of dynamic models

flow models



state diagrams




time line




Productivity and Cost models




typical



Cost Of Ownership model



Dynamics of an URF examination room



Exercise Customer Side

- Determine stakeholders, key drivers and context of the product.
- Translate these drivers into application drivers and link them to the requirements.

Exercise Customer Side, second iteration

- Create a (max) 8 sheet presentation describing the customer objectives and application.