

Module Requirements

by *Gerrit Muller* University of South-Eastern Norway-NISE

e-mail: `gaudisite@gmail.com`

`www.gaudisite.nl`

Abstract

This module addresses requirements: What are requirements? How to find, select, and consolidate requirements?

Distribution

This article or presentation is written as part of the Gaudí project. The Gaudí project philosophy is to improve by obtaining frequent feedback. Frequent feedback is pursued by an open creation process. This document is published as intermediate or nearly mature version to get feedback. Further distribution is allowed as long as the document remains complete and unchanged.

August 16, 2025
status: concept
version: 1.4

Fundamentals of Requirements Engineering

by *Gerrit Muller* USN-SE

e-mail: `gaudisite@gmail.com`

`www.gaudisite.nl`


Abstract

Requirements engineering is one of the systems engineering pillars. In this document we discuss the fundamentals of systems engineering, such as the transformation of needs into specification, the need to prescribe *what* rather than *how*, and the requirements when writing requirements.

Distribution

This article or presentation is written as part of the Gaudí project. The Gaudí project philosophy is to improve by obtaining frequent feedback. Frequent feedback is pursued by an open creation process. This document is published as intermediate or nearly mature version to get feedback. Further distribution is allowed as long as the document remains complete and unchanged.

August 16, 2025
status: concept
version: 0.1



Definition of “Requirement”


Requirements describing the needs of the customer:
Customer Needs

Requirements describing the characteristics of the final resulting system (product): ***System (Product) Specification***


The ***requirements management process*** recursively applies this definition for every level of decomposition.

Requirements describing the needs of the company itself over the life cycle: ***Life Cycle Needs***

System as a Black Box



Stakeholders w.r.t. Requirements



The “Formal” Requirements for Requirements

Specific

Unambiguous

Verifiable

Quantifiable

Measurable

Complete

Traceable

The Requirements to Enable Human Use

Accessible

Understandable

Low threshold

Short introduction to basic “CAFCR” model

by *Gerrit Muller* University of South-Eastern Norway-NISE

e-mail: `gaudisite@gmail.com`

`www.gaudisite.nl`


Abstract

The basic “CAFCR” reference model is described, which is used to describe a system in relation to its context. The main stakeholder in the context is the customer. The question “Who is the customer?” is addressed.


Distribution

This article or presentation is written as part of the Gaudí project. The Gaudí project philosophy is to improve by obtaining frequent feedback. Frequent feedback is pursued by an open creation process. This document is published as intermediate or nearly mature version to get feedback. Further distribution is allowed as long as the document remains complete and unchanged.


August 16, 2025
status: draft
version: 0.4



The “CAFCR” model




What does Customer need
in Product and **Why?**




Integrating CAFCR

What does Customer need
in Product and **Why?**




CAFCR can be applied recursively




Market segmentation

segmentation axis	examples
geographical	USA, UK, Germany, Japan, China
business model	profit, non profit
economics	high end versus cost constrained
consumers	youth, elderly
outlet	retailer, provider, OEM, consumer direct

Example of a small buying organization



CAFCR+ model; Life Cycle View



Key Drivers How To

by *Gerrit Muller* University of South-Eastern Norway-NISE

e-mail: gaudisite@gmail.com

www.gaudisite.nl


Abstract

The notion of "business key drivers" is introduced and a method is described to link these key drivers to the product specification.

Distribution


This article or presentation is written as part of the Gaudí project. The Gaudí project philosophy is to improve by obtaining frequent feedback. Frequent feedback is pursued by an open creation process. This document is published as intermediate or nearly mature version to get feedback. Further distribution is allowed as long as the document remains complete and unchanged.

August 16, 2025
status: draft
version: 0.2



Note: the graph is only partially elaborated for application drivers and requirements

Example Motorway Management Analysis



Note: the graph is only partially elaborated for application drivers and requirements


Method to create Key Driver Graph

- | | |
|--|--|
| • Define the scope specific. | in terms of stakeholder or market segments |
| • Acquire and analyze facts | extract facts from the product specification
and ask why questions about the specification of existing products. |
| • Build a graph of relations between drivers and requirements
by means of brainstorming and discussions | where requirements
may have multiple drivers |
| • Obtain feedback | discuss with customers, observe their reactions |
| • Iterate many times | increased understanding often triggers the move of issues
from driver to requirement or vice versa and rephrasing |

Recommendation for the Definition of Key Drivers

- Limit the number of key-drivers minimal 3, maximal 6
- Don't leave out the obvious key-drivers for instance the well-known main function of the product
- Use short names, recognized by the customer.
- Use market-/customer- specific names, no generic names for instance replace “ease of use” by “minimal number of actions for experienced users”, or “efficiency” by “integral cost per patient”
- Do not worry about the exact boundary between Customer Objective and Application create clear goal means relations

Transformation of Key Drivers into Requirements



Requirements Elicitation and Selection

by *Gerrit Muller* University of South-Eastern Norway-NISE

e-mail: `gaudisite@gmail.com`

`www.gaudisite.nl`


Abstract

An elicitation method for needs is described using many different viewpoints. A selection process with a coarse and a fine selection is described to reduce the specification to an acceptable and feasible subset.


Distribution

This article or presentation is written as part of the Gaudí project. The Gaudí project philosophy is to improve by obtaining frequent feedback. Frequent feedback is pursued by an open creation process. This document is published as intermediate or nearly mature version to get feedback. Further distribution is allowed as long as the document remains complete and unchanged.


August 16, 2025
status: draft
version: 0





Complementary Viewpoints to Capture Requirements



Requirement Selection Process



Simple Qualification Method



Examples of Quantifiable Aspects

- Value for the customer
- (dis)satisfaction level for the customer
- Selling value (How much is the customer willing to pay?)
- Level of differentiation w.r.t. the competition
- Impact on the market share
- Impact on the profit margin

Use relative scale, e.g. 1..5 1=low value, 5 -high value

Ask several knowledgeable people to score

Discussion provides insight (don't fall in spreadsheet trap)

Exercise Requirements Capturing

- Determine the key drivers for one particular product family.
- Translate these drivers into application drivers and derive from them the requirements.

Needs and Requirements

Needs, Specification, Requirements


Requirements describing the needs of the customer:
Customer Needs

Requirements describing the characteristics of the final resulting system (product): **System (Product) Specification**

The **requirements management process** recursively applies this definition for every level of decomposition.

Requirements describing the needs of the company itself over the life cycle: **Life Cycle Needs**

Flow of Requirements



Requirements for Requirements


- Specific
- Unambiguous
- Verifiable
- Quantifiable
- Measurable
- Complete
- Traceable

Enable Human Use


- Accessible
- Understandable
- Low threshold

CAFCR, Customer Key Driver Graph


CAFCR+ Model



Iterate over Views



Example Key Driver Graph



Note: the graph is only partially elaborated for application drivers and requirements

Complementary Viewpoints

