

SEFS Concept Selection

by *Gerrit Muller* USN-SE

e-mail: gaudisite@gmail.com

www.gaudisite.nl


Abstract

Concept selection is useful at many levels, from the customer application to the technology concept for specific functions. The Pugh matrix is a lightweight decision matrix facilitating early phase concept selections. When the design is crystallizing out, then trade-off analysis provides a more specific insight in the relation between specification and design parameters.

Distribution


This article or presentation is written as part of the Gaudí project. The Gaudí project philosophy is to improve by obtaining frequent feedback. Frequent feedback is pursued by an open creation process. This document is published as intermediate or nearly mature version to get feedback. Further distribution is allowed as long as the document remains complete and unchanged.

August 16, 2025
status: preliminary
draft
version: 0.1



Manoeuvrability	4	4	5
Energy consumption	5	3	5
Development Cost	3	4	2
Maturity (risk)	3	4	1
Purchasing Cost	3	4	3
Maintenance Cost	2	4	2

Exploration and Analysis Flow of Concepts






Pugh Matrix: a Light-Weight Decision Matrix

Define at least 3 concepts




Define 7 to 10 criteria for selection

Score the concepts against the criteria, for example using a scale from 1 to 5: 1 = very poor, 5 = very good

Recommend a concept with a rationale


	concept 1 	concept 2 	concept 3 
crit ^{erion} 1	1	3	5
crit ^{erion} n	4	4	2
			recommended, because ...

Example of Pugh Matrix



Manoeuvrability	4	4	5
Energy consumption	5	3	5
Development Cost	3	4	2
Maturity (risk)	3	4	1
Purchasing Cost	3	4	3
Maintenance Cost	2	4	2

Repeated Divergence and Convergence



Set-based Design

